

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) The image generation system according to claim 8, wherein processing for generating the motion of the object through a physical simulation generates a motion of the object formed by a plurality of parts, by moving an Nth part through a physical simulation based on hit information when the Nth part is hit and sequentially transmitting the hit information to the N+1th, N+2th, N+3th parts so that the N+1th, the N+2th, the N+3th parts are sequentially moved through a physical simulation based on the transmitted hit information.

2. (Previously Presented) The image generation system according to claim 1, wherein the hit information is a force vector in the direction of hitting, and each of the parts is moved through a rotation moment obtained by the force vector.

3. (Previously Presented) The image generation system according to claim 2, wherein the magnitude of the force vector is sequentially attenuated while the force vector is transmitted to each of the parts.

4. (Previously Presented) The image generation system according to claim 1, wherein a rotational resistance force is acted on each of the parts depending on the angular velocity of each of the parts.

5. (Previously Presented) The image generation system according to claim 1, wherein a restoring force for returning an object back to a given posture is acted on each of the parts.

6-7. (Canceled)

8. (Currently Amended) An image generation system for generating an image of a three-dimensional object formed by a plurality of parts visible from a given viewpoint within a three-dimensional object space, comprising:

a memory which stores a program and data for image generating; and

at least one processor which is connected to the memory and performs processing for image generating,

the processor performing:

playing a motion of the three-dimensional object formed by a plurality of parts based on pre-stored motion data;

generating the motion of the three-dimensional object through a physical simulation; and

switching processing from a play of the object's motion based on the pre-stored motion data to a generation of the object's motion through a physical simulation when the object is hit; and

generating a connecting motion based on interpolation of the motion generated by the physical simulation and the motion played based on the pre-stored motion data, the connecting motion connecting the motion played based on the pre-stored motion data with the motion generated by the physical simulation.

9. (Currently Amended) An image generation system for generating an image of a three-dimensional object formed by a plurality of parts visible from a given viewpoint within a three-dimensional object space, comprising:

a memory which stores a program and data for image generating; and

at least one processor which is connected to the memory and performs processing for image generating,

the processor performing:

playing a motion of the three-dimensional object formed by a plurality of parts based on pre-stored motion data;

generating the motion of the three-dimensional object through a physical simulation; ~~and~~

switching processing from a generation of the object's motion through a physical simulation to a play of the object's motion based on the pre-stored motion data when a given condition is satisfied; and

generating a connecting motion based on interpolation of the motion generated by the physical simulation and the motion played based on the pre-stored motion data the connecting motion connecting the motion generated by the physical simulation with the motion played based on the pre-stored motion data.

10. (Previously Presented) The image generation system according to claim 9, the processor further performing:

switching processing from the generation of the object's motion through the physical simulation to the play of the object's motion based on the pre-stored motion data, in at least one of cases where a given time period has elapsed after the object has been hit and where a parameter relating to the object reaches a given value.

- 11-12. (Canceled)

13. (Previously Presented) The program according to claim 21,

wherein processing for generating the motion of the object through a physical simulation generates a motion of the object formed by a plurality of parts, by moving an Nth part through a physical simulation based on hit information when the Nth part is hit and sequentially transmitting the hit information to the N+1th, N+2th, N+3th parts so that the N+1th, the N+2th, the N+3th parts are sequentially moved through a physical simulation based on the transmitted hit information.

14. (Previously Presented) The program according to claim 13, wherein the hit information is a force vector in the direction of hitting, and the program comprising a processing routine each of the parts through a rotation moment obtained by the force vector.

15. (Previously Presented) The program according to claim 14, the program comprising a processing routine for realizing:

sequentially attenuating the magnitude of the force vector while the force vector is transmitted to each of the parts.

16. (Previously Presented) The program according to claim 13, the program comprising a processing routine for realizing:

acting rotational resistance force on each of the parts depending on the angular velocity of each of the parts.

17. (Previously Presented) The program according to claim 13, the program comprising a processing routine for realizing:

acting a restoring force for returning an object back to a given posture on each of the parts.

18-19. (Canceled)

20. (Currently Amended) A computer-usable program for generating an image of a three-dimensional object formed by a plurality of parts visible from a given viewpoint within a three-dimensional object space, the program embodied in an information storage medium or a carrier wave, comprising a processing routine for realizing:

playing a motion of the three-dimensional object formed by a plurality of parts based on pre-stored motion data;

generating the motion of the three-dimensional object through a physical simulation; and

switching processing from a play of the object's motion based on the pre-stored motion data to a generation of the object's motion through a physical simulation when the object is hit; and

generating a connecting motion based on interpolation of the motion generated by the physical simulation and the motion played based on the pre-stored motion data, the connecting motion connecting the motion played based on the pre-stored motion data with the motion generated by the physical simulation.

21. (Currently Amended) A computer-usable program for generating an image of a three-dimensional object formed by a plurality of parts visible from a given viewpoint within a three-dimensional object space, the program embodied in an information storage medium or a carrier wave, comprising a processing routine for realizing:

playing a motion of the three-dimensional object formed by a plurality of parts based on pre-stored motion data;

generating the motion of the three-dimensional object through a physical simulation; and

switching processing from a generation of the object's motion through a physical simulation to a play of the object's motion based on the pre-stored motion data when a given condition is satisfied; and

generating a connecting motion from interpolation of the motion generated by the physical simulation and the motion played based on the pre-stored motion data the connecting motion connecting the motion generated by the physical simulation with the motion played based on the pre-stored motion data.

22. (Previously Presented) The program according to claim 21, the program comprising a processing routine for realizing:

switching processing from the generation of the object's motion through the physical simulation to the play of the object's motion based on the pre-stored motion data, in at least one of cases where a given time period has elapsed after the object has been hit and where a parameter relating to the object reaches a given value.

23-24. (Canceled)

25. (Currently Amended) The image generation method according to claim 32, wherein processing for generating the motion of the object through a physical simulation generates a motion of the object formed by a plurality of parts, by moving an Nth part through a physical simulation based on hit information when the Nth part is hit and sequentially transmitting the hit information to the N+1th, N+2th, N+3th parts so that the N+1th, the N+2th, the N+3th parts are sequentially moved through a physical simulation based on the transmitted hit information; the processing generates an image including an image of the object on which the motion is generated.

26. (Previously Presented) The image generation method according to claim 25, wherein the hit information is a force vector in the direction of hitting, the method further comprising:
moving each of the parts through a rotation moment obtained by the force vector.

27. (Previously Presented) The image generation method according to claim 26, further comprising:
sequentially attenuating the magnitude of the force vector while the force vector is transmitted to each of the parts.

28. (Previously Presented) The image generation method according to claim 25, further comprising:

acting a rotational resistance force on each of the parts depending on the angular velocity of each of the parts.

29. (Previously Presented) The image generation method according to claim 25, further comprising:

acting a restoring force for returning an object back to a given posture on each of the parts.

30-31. (Canceled)

32. (Currently Amended) An image generation method for generating an image of a three-dimensional object formed by a plurality of parts visible from a given viewpoint within a three-dimensional object space, comprising:

playing a motion of the three-dimensional object formed by a plurality of parts based on pre-stored motion data;

generating the motion of the three-dimensional object through a physical simulation; ~~and~~

switching processing from a play of the object's motion based on the pre-stored motion data to a generation of the object's motion through a physical simulation when the object is hit; and

generating a connecting motion based on interpolation of the motion generated by the physical simulation and the motion played based on the pre-stored motion data, the connecting motion connecting the motion played based on the pre-stored motion data with the motion generated by the physical simulation.

33. (Currently Amended) An image generation method for generating an image of a three-dimensional object formed by a plurality of parts visible from a given viewpoint within a three-dimensional object space, comprising:

playing a motion of the three-dimensional object formed by a plurality of parts based on pre-stored motion data;

generating the motion of the three-dimensional object through a physical simulation; ~~and~~

switching processing from a generation of the object's motion through a physical simulation to a play of the object's motion based on the pre-stored motion data when a given condition is satisfied; and

generating a connecting motion based on interpolation of the motion generated by the physical simulation and the motion played based on the pre-stored motion data the connecting motion connecting the motion generated by the physical simulation with the motion played based on the pre-stored motion data.

34. (Previously Presented) The image generation method according to claim 33, further comprising:

switching processing from the generation of the object's motion through the physical simulation to the play of the object's motion based on the pre-stored motion data, in at least one of cases where a given time period has elapsed after the object has been hit and where a parameter relating to the object reaches a given value.

35-42. (Canceled)